

# 7599149 | MR918E



Indoor Coverage for 900 MHz EGSM, 900 MHz UMTS, and 900 MHz LTE Applications

## Product Classification

**Product Type** RF repeater unit

## General Specifications

**Antenna Interface at Repeater** SMA Female

**Indoor Antenna** Optional, not included

**Optional Antenna Gain** 2 dBi

**Optional Antenna Type** Omni

**Performance Note** Values typical, unless otherwise stated

**Supervision/Control Option** Heartbeat via SMS | Remote control

## Dimensions

**Height** 240 mm | 9.449 in

**Width** 240 mm | 9.449 in

**Depth** 35 mm | 1.378 in

**Optional Antenna Length** 90 mm | 3.543 in

## Electrical Specifications

**Gain, typical** 70 dB

**Gain Adjustment Range** 30 dB

**License Band** EGSM | LTE 900 | UMTS 900

**Local Power** 6 Vdc

**Mains Power** 100–240 Vac

**Return Loss** 10 dB

**Power Consumption** 20 W

## Electrical Specifications, Rx (Uplink)

**Operating Frequency Band** 880 – 905 MHz

# 7599149 | MR918E

Output Power @ One Carrier	18 dBm
Output Power @ Two Carriers	15 dBm
Output Power Note	Possible slight degradation of LTE requirement unwanted emission limit at certain passband adjustments and carrier constellation

## Electrical Specifications, Tx (Downlink)

Operating Frequency Band	925 – 950 MHz
Output Power @ One Carrier	18 dBm
Output Power @ Two Carriers	15 dBm

## Environmental Specifications

Operating Temperature	+5 °C to +40 °C (+41 °F to +104 °F)
Ingress Protection Test Method	IEC 60529:2001, IP30

## Packaging and Weights

Weight, net	1.5 kg   3.307 lb
-------------	-------------------

## Regulatory Compliance/Certifications

Agency	Classification
CHINA-ROHS	Below maximum concentration value
ISO 9001:2015	Designed, manufactured and/or distributed under this quality management system
REACH-SVHC	Compliant as per SVHC revision on <a href="http://www.andrew.com/ProductCompliance">www.andrew.com/ProductCompliance</a>
ROHS	Compliant
UK-ROHS	Compliant

